

ENERGY EFFICIENT VINYL WINDOWS



SINGLE HUNG DOUBLE HUNG SINGLE SLIDER DOUBLE SLIDER PICTURE WINDOW CASEMENT BAY / BOW AWNING HOPPER ARCHITECTURAL SHAPES



Residential



Commercial







Thank you for considering Harmony Windows from A.J. Manufacturing for your project. We hope to earn your trust by sharing our story of **Product Quality and Performance, Commitment and Understanding, and Experience.** All of the

employees of A.J. appreciate the opportunity to share their good work and look forward to our products and services being an important part of your project.

A.J. has a rich history of product innovation and manufacturing excellence that spans over 60 years. The quality and performance of our products would not be possible if not for the dedication and skill of our employees and is especially true when you consider the team that manufactures our Harmony Windows has over 100 years combined experience!

Rural Builder Gold Key of Excellence

A.J. is committed to the post frame industry through PFMI membership and sponsorship. A 25+ year Gold Key member winner. A.J. understands the building process, builder's expectations, and the project owner's perspective and it shows in our commitment to quality and performance, responsive communication, and customer care. Our experience serving customers of all types, with very high expectations, and across various industries has created a culture that is unique, special, and has earned many customer's trust for decades. We hope you value our values, find that the Harmony family of windows meets your needs, and you trust us enough to become our customer.

Todd Carlson, President









Exterior View - White Double Hung



Exterior View - White Double Operating Casement



PRODUCT QUALITY & PERFORMANCE

ALL HARMONY WINDOWS INCLUDE



Harmony Windows are Available in These Colors

Interior

- White Light Oak Woodgrain
- Tan Dark Oak Woodgrain

Exterior

- White Custom Painted
- ∎ Tan





Keeps You Comfortable In Any Climate

Low E / Argon glass keeps you warmer in the winter and cooler in the summer while letting in plenty of natural light.

SINGLE / DOUBLE HUNG WINDOWS

OUTSTANDING FEATURES:

- Full screen standard
- Dual cam locks on all windows over 26" wide
- Constant force balances neutralize sash weight for easy opening, never needs adjusting, and will provide years of trouble free operation
- Positive interlock with dual weather strip assures a tighter seal at the meeting rail providing an additional air barrier resulting in less heat loss
- Sashes tilt in for easy cleaning
- Can be factory mulled to create multiple units
- Triple weather strip on sash



Exterior View - White Two Double Hung Styles Mulled Together





Residential





Commercial

SINGLE / DOUBLE SLIDER WINDOWS



Interior View - White 3 Lite Slider

OUTSTANDING FEATURES:

- Full screen standard
- Dual cam locks on all windows over 26" tall
- Positive interlock with dual weather strip assures a tighter seal at the meeting rail providing an additional air barrier resulting in less heat loss
- Sashes tilt in for easy cleaning
- Triple weather strip on sash





Residential





Commercial

CASEMENT AND AWNING WINDOWS

OUTSTANDING FEATURES:

- Full screen standard
- Dual Casement Operator on all windows 24" and wider allows nearly effortless operation of even the largest casement windows with fold away handles
- Full opening hardware allows the exterior glass to be cleaned from the inside
- Multi-point locking system creates a dependable tight seal from the elements
- Can be factory mulled to create twin or triple units



Interior View - Light Oak Woodgrain Operating / Fixed / Operating Casement





Residential





Commercial

FIXED LITE PICTURE WINDOWS / ARCHITECTURAL SHAPES, BAY & BOW WINDOWS

Gothic

Interior View - Tan

FIXED LITE PICTURE & ARCHITECTURAL WINDOWS OUTSTANDING FEATURES:

- Can be factory mulled to operating units
- Provides a unique look



3 Lite Bow Exterior View - White



- Custom built to your specifications
- Operators: Casements, Double Hung or Single Hung
- Seat and Headboards are finished in 1-1/4" thick Raw Oak, Prefinished Oak, or Countertop Laminate



Octagon Interior View - Dark Woodgrain



Double Operating Casement with Half Round Exterior View - White





5 Lite Bow Exterior View - White



Residential





Commercial

Post Frame

SLIDING PATIO DOORS



DESIGNED TO WORK LIKE A Charm—with Performance That's built to last

The Sound of Silence

Enjoy the sound of silence! Multi-chamber profiles and multiple weather stripping help eliminate most outside noise.

Increased Protection

Fixed and mobile panel rails meet and interlock perfectly, making removal from outside almost impossible. Lower sill design provides safer entry and exit.

Installer-friendly Design

Installer-friendly design and room for panel adjustment mean uneven surfaces are never a problem—it's a snap to plumb and square Harmony doors.

OUTSTANDING FEATURES:

- Color matched to the Harmony Windows
- Smooth & quiet operation with patented dual-tandem nylon wheels and a raised rail to protect the wheels from dirt & debris
- Multi-chamber design to reduce thermal exchange and increased air spaces
- Low E / Argon Standard IGU

Multiple Weather Stripping Virtually Eliminates Air Infiltration Multi-chamber Design

> Meeting and Mobile Stiles Steel Reinforced

Color Matched Handle White Doors - White Handle Tan Door - Tan Handle Woodgrain Interior - Black Handle



Multiple Configurations

This patio door series is available in 2-panel configurations, with a wide range of energy-smart glazing options and decorative grilles.

Choice of Screens

The aluminum screen is equipped with patented spring-loaded rollers, fully adjustable at each corner, to prevent bothersome derailing.







Available in These Colors



- Tan ■ Light Oak Woodgrain
- Light Oak Woodgrain
- Exterior White

Tan



EZ-*v*[™] TRIM SYSTEM





Fixed Lite Exterior <mark>View</mark> - White **OUTSTANDING FEATURES:**

A.J.'s patented $EZ-v^{TM}$ trim, installation and flashing system offers an easy installation with a leak free and attractive finish into steel clad buildings.

- EZ-v[™] is available painted in a rainbow of colors
- Easy to install
- Leak free
- Tolerant of thermal expansion and contraction
- Doesn't require a subsequent application of J-Channel

The benefits of using the $EZ-\nu^{TM}$ system include a dramatic reduction of installation labor. The $EZ-\nu^{TM}$ system diverts all water to the exterior of the building ensuring a leak free installation.





Insulated Slider - Plain Exterior View - White Window with White EZ-v^m

New EZ-v[™] Trim System –

Insulated Slider - Plain

Exterior View - White

Window with Green EZ-v™

The quick and easy way to trim your vinyl windows.

Exclusively from A.J. Manufacturing Inc.





Frame/Sash Construction Maintenance-free frame and sash construction (requires no painting or staining ever) Easy open constant force balancing system for steady, even sash operation Extra thick (7) mil) extruded, multi-chambered vinyl main frame and sash creater many airspaces for better insulating value and added strength Permanently fusion velded main frame and sash Removable operating sash for interior cleaning access Window Unit Class And Screen Construction Sash interlock system for vester insulation glass Double strength glass Meather scele Meather scele Maid the closed grids Weatherseal Available with enclosed grids Meatherseal Hardware Painted zine dic exat cam-type sash locks Installation Options Pratented Z2-V ⁿ Tirm and Flashing System, can be color matched Nailing Fin Interlow 1' J-Channel, can be color matched Light Woodgrain Interlow Light Woodgrain Interlow		SINGLE Hung	DOUBLE Hung	SINGLE Slider	DOUBLE SLIDER	PICTURE WINDOW	OPERATING Casement	FIXED Casement	AWNING	BAY/ Bow
Maintenance-free frame and sash construction (requires no painting even) Easy open constint force balancing system for Stata thick (70 mil) extruded, multi-chambered vinyl main frame and sash create many airspaces for better insulating value and added strength Permanently fusion welded main frame and sash Removable operating sash for interior cleaning access Window Unit Glass And Screen Construction Sash interlock system for weatherproof, bug-proof, ratherpool of aft barrier 7/8' thick insulating glass Double strength glass Low E / Argon glass Removable us/fished grids Waitherseal Maindemast Available with enclosed grids Weatherseal Nonabsorbent woven polypropylene pile Triple weatherseal Hardware Painted Zinc dire cast cam-type sash locks Installation Options Patented Z-v'' Trim and Flashing System, can be color matched I' 3-Channel, can be color matched Uhite Tan Custom Painted Uhite Tan Light Woodgrain	Frame/Sash Construction									
steady, even sash operation Extra thick (70 mil) extruded, multi-chambered ying/ main frame and sash create many alrspaces for better insulating value and added strength Permanently fusion welded main frame and sash Removable operating sash for interior cleaning access Window Unit Glass And Screen Construction Sash interior system for weatherproof, bug-proof, rattle-proof draft barrier 7/8* thick insulating glass Double strength glass Low E / Argon glass Removable rust/insect proof They and the enclosed grids Weatherseal Mailable with enclosed grids Weatherseal Painted zinc die cast cam-type sash locks Installation Options Painted Zinc die cast cam-type sash locks Installation Options Patented EZ-V [*] Tirm and Flashing System, can be color matched Naling Fin 1* J-Channel, can be color matched White Tan Custom Painted Unite Tan Light Woodgrain	Maintenance-free frame and sash construction		•	•	•	•	•	•	•	•
vinyl main frame and sash create many airspaces for better insulating value and added strength Permanently fusion welded main frame and sash Removable operating sash for interior cleaning access Window Unit Glass And Screen Construction Sash interlock system for weatherproof, bug-proof, rattle-proof draft barrier 7/8' thick insulating glass Double strength glass Iberglass Removable rost/insect proof fiberglass means Available with enclosed grids Weatherseal Nonabsorbent woven polypropylene pile Triple weatherseal Hardware Patinted Zinc die cast cam-type sash locks Patinted Zinc die cast cam-type sash locks Installation Options Patinted Zinc die cast cam-type sash locks Installation Options Patinted Zinc die cast cam-type sash locks Installation Options Patinted Zinc die cast cam-type sash locks Installation Options Patinted Zinc die cast cam-type sash locks Installation Options Patinted Zinc die cast cam-type sash locks Installation Options Patinted Zinc die cast cam-type sash locks Installation Options Patinted Zinc die cast cam-type sash locks Installation Options Patinted Zinc die color matched I' J-Channel, can be color matched I' Lochannel, can be color matched I' Lochannel, can be color matched I' Lochannel,	Easy open constant force balancing system for									
Removable operating sash for interior Viindow Unit Glass And Screen Construction Sash interlock system for weatherproof, bug-proof, rattle-proof draft barrier 7/8' thick insulating glass Double strength glass Low E / Argo glass Removable rust/insect proof Mithe enclosed grids Weatherseal Nonabsorbent woven polypropylene pile Triple weatherseal Hardware Patineted zinc die cast cam-type sash locks Installation Options Patented E2-v ^{or} Trim and Flashing System, can be color matched Katien Colors White Tan Custom Painted Light Woodgrain	vinyl main frame and sash create many airspaces	_								
cleaning access Window Unit Glass And Screen Construction Sash interlock system for weatherproof, Dug-proof, rathe-proof draft barrier 7/8* thick insulating glass Low E / Argon glass Removable rust/insect proof fiberglass mesh screen Available with enclosed grids Weatherseal Nonabsorbent woven polypropylene pile Triple weatherseal Hardware Painted zinc die cast cam-type sash locks Installation Options Patented E2-v ^m Trim and Flashing System, Can be color matched Nailing Fin 1* J-Channel, can be color matched Tan Custor Painted White Tan Custor Painted Tan Light Woodgrain	Permanently fusion welded main frame and sash									
Sash interlock system for weatherproof, bug-proof, rattle-proof draft barrier 7/8" thick insulating glass Double strength glass Low E / Argon glass Argon glass Available with enclosed grids Weatherseal Nonabsorbent woven polypropylene pile Triple weatherseal Argon glass Brited zinc die cast cam-type sash locks Argon glass Brited Z.v ^{or} Trim and Flashing System, can be color matched Brite colors White Tan Custom Painted Custom Painted Custom Painted Date state and the state of the state Custom Painted Date state of the state Custom Painted Date state of the state of the state Custom Painted Date state of the state of the state Custom Painted Date state Date state Custom Painted Date state Date state Custom Painted Date state Date state state Date state Date state state Date state state Date state state Date state state										
bug-proof, rattle-proof draft barrier 7/8' thick insulating glass Double strength glass Low E / Argon glass Removable rust/insect proof fiberglass mesh screen Available with enclosed grids Weatherseal Nonabsorbent woven polypropylene pile Triple weatherseal Hardware Painted zinc die cast cam-type sash locks Painted zinc die cast cam-type sash locks Nailing Fin 1* J-Channel, can be color matched White Tan Custom Painted Interior Colors White	Window Unit Glass And Screen Construc	tion								
Double strength glass Low E / Argon glass Removable rust/insect proof fiberglass mesh screen Available with enclosed grids Weatherseal Nonabsorbent woven polypropylene pile Triple weatherseal Nonabsorbent woven polypropylene pile Triple weatherseal Painted zinc die cast cam-type sash locks Installation Options Patented EZ-v" Trim and Flashing System, can be color matched Nailing Fin 1' J-Channel, can be color matched White Tan Custom Painted Interior Colors White Tan Light Woodgrain	Sash interlock system for weatherproof, bug-proof, rattle-proof draft barrier									
Low E / Argon glass Removable rust/insect proof fiberglass mesh screen Available with enclosed grids Weatherseal Nonabsorbent woven polypropylene pile Triple weatherseal Painted zinc die cast cam-type sash locks Installation Options Patented EZ-v ^m Trim and Flashing System, can be color matched Nailing Fin 1' J-Channel, can be color matched White Tan Custom Painted Interior Colors White Tan Light Woodgrain	7/8" thick insulating glass									
Removable rust/insect proof fiberglass mesh screen Available with enclosed grids Weatherseal Nonabsorbent woven polypropylene pile Triple weatherseal Hardware Painted zinc die cast cam-type sash locks Installation Options Patented EZ-v ^m Trim and Flashing System, can be color matched Nailing Fin 1* J-Channel, can be color matched Exterior Colors White Tan Light Woodgrain	Double strength glass									
fiberglass mesh screen Available with enclosed grids Weatherseal Nonabsorbent woven polypropylene pile Nonabsorbent woven polypropylene pile Nativare Painted zinc die cast cam-type sash locks Installation Options Patented EZ-v ^m Trim and Flashing System, can be color matched Nailing Fin 1 ^m J-Channel, can be color matched Kuterior Colors White Tan Light Woodgrain Light Woodgrain Light Woodgrain	Low E / Argon glass									
Weatherseal Nonabsorbent woven polypropylene pile Triple weatherseal Hardware Painted zinc die cast cam-type sash locks Installation Options Patented Zz-v ^m Trim and Flashing System, can be color matched Nailing Fin 1* J-Channel, can be color matched Statement Colors White Tan Custom Painted Interior Colors White Tan Light Woodgrain Interior Colors White Interior Colors White Interior Colors White Interior Colors Interior Colors White Interior Colors										
Nonabsorbent woven polypropylene pile Triple weatherseal Hardware Painted zinc die cast cam-type sash locks Installation Options Patented Z2-V" Trim and Flashing System, can be color matched Nailing Fin 1* J-Channel, can be color matched 1* J-Channel, can be color matched White 1an	Available with enclosed grids									
Triple weatherseal Hardware Painted zinc die cast cam-type sash locks Painted zinc die cast cam-type sash locks Installation Options Patented EZ-v [™] Trim and Flashing System, can be color matched Nailing Fin Nailing Fin 1* J-Channel, can be color matched 1* J-Channel, can be color matched Exterior Colors White Tan Custom Painted Interior Colors White Tan Interior Colors White Interior Colors Uhite Interior Colors White Interior Colors White Interior Colors Utile Interior Colors White Interior Colors Uhite Interior Colors Interior Colors<	Weatherseal									
Hardware Painted zinc die cast cam-type sash locks ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■	Nonabsorbent woven polypropylene pile									
Painted zinc die cast cam-type sash locks Installation Options Patented EZ-v [™] Trim and Flashing System, can be color matched Nailing Fin 1" J-Channel, can be color matched I * J-Channel I * J-Channel <	Triple weatherseal									
Installation Options Patented EZ-v ^m Trim and Flashing System, can be color matched Nailing Fin 1" J-Channel, can be color matched 1" J-Channel, can be color matched Exterior Colors White Tan Custom Painted Interior Colors White Interior Colors Uhite Interior Colors Itight Woodgrain	Hardware									
Patented EZ-v [™] Trim and Flashing System, Nailing Fin Nailing Fin 1" J-Channel, can be color matched 1" J-Channel, can be color matched <td>Painted zinc die cast cam-type sash locks</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	Painted zinc die cast cam-type sash locks									
can be color matched Nailing Fin 1" J-Channel, can be color matched Image: Strength of the strength of	Installation Options									
1" J-Channel, can be color matched Exterior Colors White Tan Custom Painted Interior Colors White Tan Interior Colors White Interior Colors Interior Colors <td>Patented EZ-v[™] Trim and Flashing System, can be color matched</td> <td></td> <td>•</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td>	Patented EZ-v [™] Trim and Flashing System, can be color matched		•	•	•	•	•	•	•	•
Exterior Colors White Image: Second	Nailing Fin									
WhiteImage: Second	1" J-Channel, can be color matched									
WhiteImage: Second	Exterior Colors									
Custom Painted Interior Colors White Tan Light Woodgrain										
Interior Colors White Image: Second secon	Tan									
White Image: Second s	Custom Painted									
White Image: Second s	Interior Colors									
TanImage: Second se										
Dark Woodgrain	Light Woodgrain									
	Dark Woodgrain									



A.J. Manufacturing, Inc.

1217 Oak Street Bloomer, WI 54724 800.328.9448 715.568.2204 www.ajdoor.com





Building Ideas Harmony Windows are Available in These Colors

- Interior White
- Light Oak Woodgrain Tan
 - Dark Oak Woodgrain

Exterior

- White Custom Painted
- Tan

|--|--|--|--|

